

PROVA PENETROMETRICA DINAMICA TABELLE VALORI DI RESISTENZA

n° 3

- indagine : Arrigoni
- cantiere : Le Lecciaie
- località : Pomarance (PI)
- note : Probabile riempimento

- data : 18/02/2010
- quota inizio : p.c.
- prof. falda : Falda non rilevata
- pagina : 1

Prof.(m)	N(colpi p)	Rpd(kg/cm ²)	N(colpi r)	asta	Prof.(m)	N(colpi p)	Rpd(kg/cm ²)	N(colpi r)	asta
0,00 - 0,10	3	16,9	---	1	3,50 - 3,60	1	4,7	---	4
0,10 - 0,20	6	33,8	---	1	3,60 - 3,70	1	4,7	---	4
0,20 - 0,30	5	28,1	---	1	3,70 - 3,80	1	4,7	---	4
0,30 - 0,40	4	22,5	---	1	3,80 - 3,90	2	9,5	---	4
0,40 - 0,50	4	22,5	---	1	3,90 - 4,00	1	4,7	---	4
0,50 - 0,60	2	11,3	---	1	4,00 - 4,10	1	4,5	---	5
0,60 - 0,70	3	16,9	---	1	4,10 - 4,20	1	4,5	---	5
0,70 - 0,80	3	16,9	---	1	4,20 - 4,30	1	4,5	---	5
0,80 - 0,90	3	16,9	---	1	4,30 - 4,40	1	4,5	---	5
0,90 - 1,00	1	5,6	---	1	4,40 - 4,50	2	9,0	---	5
1,00 - 1,10	2	10,6	---	2	4,50 - 4,60	2	9,0	---	5
1,10 - 1,20	1	5,3	---	2	4,60 - 4,70	1	4,5	---	5
1,20 - 1,30	1	5,3	---	2	4,70 - 4,80	1	4,5	---	5
1,30 - 1,40	1	5,3	---	2	4,80 - 4,90	1	4,5	---	5
1,40 - 1,50	3	15,9	---	2	4,90 - 5,00	1	4,5	---	5
1,50 - 1,60	1	5,3	---	2	5,00 - 5,10	4	17,1	---	6
1,60 - 1,70	1	5,3	---	2	5,10 - 5,20	3	12,9	---	6
1,70 - 1,80	2	10,6	---	2	5,20 - 5,30	1	4,3	---	6
1,80 - 1,90	4	21,2	---	2	5,30 - 5,40	1	4,3	---	6
1,90 - 2,00	1	5,3	---	2	5,40 - 5,50	1	4,3	---	6
2,00 - 2,10	1	5,0	---	3	5,50 - 5,60	1	4,3	---	6
2,10 - 2,20	1	5,0	---	3	5,60 - 5,70	4	17,1	---	6
2,20 - 2,30	1	5,0	---	3	5,70 - 5,80	2	8,6	---	6
2,30 - 2,40	1	5,0	---	3	5,80 - 5,90	1	4,3	---	6
2,40 - 2,50	1	5,0	---	3	5,90 - 6,00	1	4,3	---	6
2,50 - 2,60	1	5,0	---	3	6,00 - 6,10	1	4,1	---	7
2,60 - 2,70	1	5,0	---	3	6,10 - 6,20	4	16,4	---	7
2,70 - 2,80	1	5,0	---	3	6,20 - 6,30	4	16,4	---	7
2,80 - 2,90	1	5,0	---	3	6,30 - 6,40	4	16,4	---	7
2,90 - 3,00	1	5,0	---	3	6,40 - 6,50	3	12,3	---	7
3,00 - 3,10	1	4,7	---	4	6,50 - 6,60	3	12,3	---	7
3,10 - 3,20	1	4,7	---	4	6,60 - 6,70	3	12,3	---	7
3,20 - 3,30	1	4,7	---	4	6,70 - 6,80	2	8,2	---	7
3,30 - 3,40	1	4,7	---	4	6,80 - 6,90	2	8,2	---	7
3,40 - 3,50	1	4,7	---	4	6,90 - 7,00	3	12,3	---	7

- PENETROMETRO DINAMICO tipo : TG 30-20 4x4

- M (massa battente)= 30,00 kg - H (altezza caduta)= 0,20 m

- Numero Colpi Punta N = N(10) [$\delta = 10$ cm]

- A (area punta)= 10,00 cm² - D(diam. punta)= 35,70 mm

- Uso rivestimento / fanghi iniezione : NO